Contents

No. 1 1–160 issued September 1991 No. 2 161–324 issued October I 1991 No. 3 325–482 issued October II 1991

Allmansberger R → Jacob S 189 Allmen J-M von, Rottmann WH, Gengenbach BG, Harvey AJ, Londsdale DM: Transfer of methomyl and HmT-toxin sensitivity from T-cytoplasm maize to tobacco 405

Andersen LN → Pedersen PA 285 Aparicio C → Zimmer W 41 Apirion D → Oh B-K 52 Arnold W → Selbitschka W 86 Audino DC → Denis CL 395

Bae Y-S → Ohira M 325
Beltran J-P → Nacken WKF 129
Belyaeva ES → Kim AJ 437
Belyaeva ES → Vlassova IE 316
Beppu T → Vujaklija D 119
Bhaya D, Grossman A: Targeting proteins
to diatom plastids involves transport
through an endoplasmic reticulum 400
Blinov AG, Sobanov YV, Gaidamakova

Blinov AG, Sobanov YV, Gaidamakova EK, Bogachev SS, Kolesnikov NN, Filippova MA, Kiknadze II: MEC: A transposable element from Chironomus thummi (Diptera) 152

Bodi Z, Gysler-Junker A, Kohli J: A quantitative assay to measure chromosome stability in Schizosaccharomyces pombe 77

Bogachev SS → Blinov AG 152 Boquet PL → Dassa J 341 Boulet A → Fabre F 353 Bowring FJ, Catcheside DEA: The initiation site for recombination cog is at the 3' end of the his-3 gene in Neurospora crassa 273

Brettell RIS, Dennis ES: Reactivation of a silent Ac following tissue culture is associated with heritable alterations in its methylation pattern 365

Buchwald P, Krummeck G, Rödel G: Immunological identification of yeast SCO1 protein as a component of the inner mitochondrial membrane 413

Byström AS → Korch C 96

Castorph H → Kuczius T 479
Catcheside DEA → Bowring FJ 273
Cebula TA → Woodgate R 81
Chao S → Cheung WY 373
Cheung WY, Chao S, Gale MD: Longrange physical mapping of the α-amylase-1 (α-Amy-1) loci on homoeologous group 6 chromosomes of wheat 373
Chua N-H → Fromm H 181

Cleton-Jansen A-M, Dekker S, Putte P van de, Goosen N: A single amino acid substitution changes the substrate specificity of quinoprotein glucose dehydrogenase in Gluconobacter oxydans 206

Coddington A → Talbot NJ 267 Coll J-L → Heyde M 197 Connerton IF → Gainey LDS 253 Coplin DL → Poetter K 155 Creanor J → MacNeill SA 109 Crowne H → Sedgwick SG 428 Croy RRD → Fordham-Skelton AP 460 Cundliffe E → Holmes DJ 229

Daniels MJ → Dums F 357
D'Ari R → Kuczius T 479
Dassa J, Fsihi H, Marck C, Dion M,
Kieffer-Bontemps M, Boquet PL: A new
oxygen-regulated operon in Escherichia
coli comprises the genes for a putative
third cytochrome oxidase and for pH 2.5
acid phosphatase (appA) 341
Dekker S → Cleton-Jansen A-M 206
Denis CL, Audino DC: The CCR1 (SNF1)
and SCH9 protein kinases act independently of cAMP-dependent protein kinase and the transcriptional activator
ADR1 in controlling yeast ADH2 ex-

pression 395
Dennis ES → Brettell RIS 365
Dequin S → Stucka R 307
Dion M → Dassa J 341

Domon C, Evrard J-L, Pillay DTN, Steinmetz A: A 2.6 kb intron separates the signal peptide coding sequence of an anther-specific protein from the rest of the gene in sunflower 238

Doyle N → Sedgwick SG 428 Dums F, Dow JM, Daniels MJ: Structural characterization of protein secretion genes of the bacterial phytopathogen Xanthomonas campestris pathovar campestris: relatedness to secretion systems of other gram-negative bacteria 357

Dunn MA, Hughes MA, Zhang L, Pearce RS, Quigley AS, Jack PL: Nucleotide sequence and molecular analysis of the low temperature induced cereal gene, BLT4 389

Eisenstadt E → Woodgate R 81 Eitinger T → Kuczius T 479 Elmerich C → Zimmer W 41 Ennis DG → Woodgate R 10 Erratum 324 Evrard J-L → Domon C 238

Fabre F, Boulet A, Faye G: Possible involvement of the yeast POLIII DNA polymerase in induced gene conversion 353

Faye G → Fabre F 353
Filippova MA → Blinov AG 152
Filloux A → Groot A de 278
Fogel S → Welch JW 261
Fordham-Skelton AP, Taylor PN, Hartley
MR, Croy RRD: Characterisation of saporin genes: in vitro expression and ribosome inactivation 460

Fralick JA: Studies on the alteration of chromosome copy number and cell division potential in a dnaA mutant of Escherichia coli 175
Fromm H, Katagiri F, Chua N-H: The to-bacco transcription activator TGA1a binds to a sequence in the 5' upstream region of a gene encoding a TGA1a-related protein 181
Fsihi H → Dassa J 341

Gaidamakova EK → Blinov AG 152 Gainey LDS, Kölble K, Connerton IF: Isolation and expression of the acetate-inducible isocitrate lyase gene (acu-3) from Neurospora crassa: Evidence for a second constitutive isozyme 253 Gale MD → Cheung WY 373 Gancedo C → Stucka R 307 Gärtner D → Jacob S 189 Gehrung S → Padmanabha R 1 Gengenbach BG → Allmen J-M von 405 Glimelius K → Håkansson G 380 Gomi K → Tada S 301 Goosen N → Cleton-Jansen A-M 206 Graphodatsky AS → Vlassova IE 316 Groot A de, Filloux A, Tommassen J: Conservation of xcp genes, involved in the two-step protein secretion process, in different Pseudomonas specis and other gram-negative bacteria 278 Grossman A → Bhaya D 400 Gustafsson P → Jansson S 67 Gysler-Junker A → Bodi Z 77

Hajec LI → Volker MR 319 Håkansson G, Glimelius K: Extensive nuclear influence on mitochondrial transcription and genome structure in malefertile and male-sterile alloplasmic Nicotiana materials 380

Hanhart CJ → Koornneef M 57
Hansen L, Wettstein-Knowles P von: The barley genes Acl1 and Acl3 encoding acyl carrier proteins I and III are located on different chromosomes 467
Hara S → Tada S 301

Hartley MR → Fordham-Skelton AP 460

Harvey AJ → Allmen J-M von 405 Hattori J → Rutledge RG 31 Heemskerk E → Pastink A 213 Henschke RB → Nücken EJ 137 Heyde M, Coll J-L, Portalier R: Identification of Escherichia coli genes whose expression increases as a function of external pH 197

Hillen W → Jacob S 189
Hogg RW, Voelker C, Von Carlowitz I:
Nucleotide sequence and analysis of the
mgl operon of Escherichia coli K12 453
Holmes DJ, Cundliffe E: Analysis of a ribosomal RNA methylase gene from

Streptomyces tenebrarius which confers resistance to gentamicin 229 Hong S-K → Vujaklija D 119 Horinouchi S → Vujaklija D 119 Hughes MA → Dunn MA 389 Huijser P → Nacken WKF 129

Ikeda H → Ohira M 325 Ivey DM, Krulwich TA: Organization and nucleotide sequence of the atp genes encoding the ATP synthase from alkaliphilic Bacillus firmus OF4 292

Jack PL → Dunn MA 389 Jacob S, Allmansberger R, Gärtner D, Hillen W: Catabolite repression of the operon for xylose utilization from Bacillus subtilis W23 is mediated at the level of transcription and depends on a cis site in the xylA reading frame 189

Jansson S, Gustafsson P: Evolutionary conservation of the chlorophyll a/b-binding proteins: cDNAs encoding Type I, II and III LHC I polypeptides from the gymnosperm Scots pine 67

Katagiri F → Fromm H 181 Kieffer-Bontemps M → Dassa J 341 Kiknadze II → Blinov AG 152 Kim AI, Belyaeva ES: Transposition of

mobile elements gypsy (mdg4) and hobo in germ-line and somatic cells of a genetically unstable mutator strain of Dro-

sophila melanogaster 437 Kitamoto K → Tada S 301 Kleiner D → Kuczius T 479 Koch WH → Woodgate R 81

Kohli J → Bodi Z 77 Kölble K → Gainey LDS 253

Kolesnikov NN → Blinov AG 152 Koornneef M, Hanhart CJ, Veen JH van der: A genetic and physiological analysis

of late flowering mutants in Arabidopsis thaliana 57 Korch C, Mountain HA, Byström AS:

Cloning, nucleotide sequence, and regulation of MET14, the gene encoding the APS kinase of Saccharomyces cerevisiae

Krulwich TA → Ivey DM 292 Krummeck G → Buchwald P 413 Kuczius T, Eitinger T, D'Ari R, Castorph H, Kleiner D: The gltF gene of Klebsiella pneumoniae: cloning and initial characterization 479

Levine AS → Woodgate R 81 Levy AA, Walbot V: Molecular analysis of the loss of somatic instability in the bz2::mu1 allele of maize 147

Lodwick D, Strike P: Distribution of sequences homologous to the impCAB operon of TP110 among bacterial plasmids of different incompatibility groups

Lodwick D → Sedgwick SG 428 Londsdale DM → Allmen J-M von 405

MacNeill SA, Creanor J, Nurse P: Isolation, characterisation and molecular cloning of new mutant alleles of the fission yeast p34^{cdc2}* protein kinase gene: identification of temperature-sensitive G2-arresting alleles 109

Maloney DH → Welch JW 261 Marck Ch → Dassa J 341 Marcker KA → Richter HE 445 Maxwell Dow J → Dums F 357 Miki BL → Rutledge RG 31 Mountain HA → Korch C 96

Nacken WKF, Huijser P, Beltran J-P, Saedler H, Sommer H: Molecular characterization of two stamenspecific genes, tap1 and fil1, that are expressed in the wild type, but not in the deficiens mutant of Antirrhinum majus 129 Nivard MJM → Pastink A 213

Nücken EJ, Henschke RB, Schmidt FRJ: Site-specific integration of genes into hot spots for recombination flanking aadA in Tn21 transposons 137

Nurse P → MacNeill SA 109

O'Connor CD - Qi S-Y 421 Oh B-K, Apirion D: 10Sa RNA, a small stable RNA of Escherichia coli, is functional 52

Ohira M, Bae Y-S, Ikeda H: A new type of insertion mutation in monkey cells: insertion accompanied by long target site duplication 325

Oliver RP → Talbot NJ 267

Padmanabha R, Gehrung S, Snyder M: The KNS1 gene of Saccharomyces cerevisiae encodes a nonessential protein kinase homologue that is distantly related to members of the CDC28/cdc2 gene family 1

Pan Y-B, Peterson PA: Newly activated germinal Uq elements in maize are clustered on one linkage group independently of the standard Uq element 161

Pastink A, Heemskerk E, Nivard MJM, Vliet CJ van, Vogel EW: Mutational specificity of ethyl methanesulfonate in excision-repair-proficient and -deficient strains of Drosophila melanogaster 213 Pearce RS → Dunn MA 389

Pedersen PA, Andersen LN: Deletion and duplication of specific sequences in the K88ab fimbrial subunit protein from porcine enterotoxigenic Escherichia coli 285

Peterson PA → Pan Y-B 161 Pillay DTN → Domon C 238

Poetter K, Coplin DL: Structural and functional analysis of the rcsA gene from Erwinia stewartii 155

Portalier R → Heyde M 197 Priefer UB → Selbitschka W 86 Pühler A → Selbitschka W 86 Putte P van de → Cleton-Jansen A-M 206

Qi S-Y, Sukupolvi S, O'Connor CD: Outer membrane permeability of Escherichia coli K12: isolation, cloning and mapping of suppressors of a defined antibiotic-hypersensitive mutant 421

Quellet T → Rutledge RG 31 Quigley AS → Dunn MA 389

Richter HE, Sandal NN, Marcker KA, Sengupta-Gopalan C: Characterization

and genomic organization of a highly expressed late nodulin gene subfamily in soybeans 445

Rödel G → Buchwald P 413 Rottmann WH → Allmen J-M von 405 Rottschäfer T → Selbitschka W 86

Russell DA, Sachs MM: The maize cytosolic glyceraldehyde-3-phosphate dehydrogenase gene family: Organ-specific expression and genetic analysis 219

Rutledge RG, Quellet T, Hattori J, Miki BL: Molecular characterization and genetic origin of the Brassica napus acetohydroxyacid synthase multigene family

Sachs MM → Russell DA 219 Saedler H → Nacken WKF 129 Salmon J-M → Stucka R 307 Sandal NN → Richter HE 445 Schmidt FRJ → Nücken EJ 137 Schmidt M → Selbitschka W 86 Sears BB, Sokalski MB: The Oenothera plastome mutator: Effect of UV irradiation and nitroso-methyl urea on mutation frequencies 245

Sedgwick SG, Lodwick D, Doyle N, Crowne H, Strike P: Functional complementation between chromosomal and plasmid mutagenic DNA repair genes in

bacteria 428

Selbitschka W, Arnold W, Priefer UB, Rottschäfer T, Schmidt M, Simon R, Pühler A: Characterization of recA genes and recA mutants of Rhizobium meliloti and Rhizobium leguminosarum biovar viciae 86

Sengupta-Gopalan C → Richter HE 445 Shiina T → Tanaka K 334 Simon R → Selbitschka W 86 Snyder M → Padmanabha R 1 Sobanov YV → Blinov AG 152

Sokalski MB → Sears BB 245 Sommer H → Nacken WKF 129 Steinmetz A → Domon C 238

Strike P → Lodwick D 27

Strike P → Sedgwick SG 428 Stucka R, Dequin S, Salmon J-M, Gancedo C: DNA sequences in chromosomes II and VII code for pyruvate carboxylase isoenzymes in Saccharomyces cerevisiae: analysis of pyruvate carboxylase-deficient strains 307

Sukupolvi S → Qi S-Y 421 Sundaresan V → Zhao ZY 17

Tada S, Gomi K, Kitamoto K, Takahashi K, Tamura G, Hara S: Construction of a fusion gene comprising the Taka-amylase A promoter and the Escherichia coli β -glucuronidase gene and analysis of its expression in Aspergillus oryzae 301

Takahashi H → Tanaka K 334 Takahashi K → Tada S 301 Talbot NJ, Oliver RP, Coddington A: Pulsed field gel electrophoresis reveals chromosome length differences between strains of Cladosporium fulvum (syn. Fulvia fulva) 267

Tamura G → Tada S 301 Tanaka K, Shiina T, Takahashi H: Nucleotide sequence of genes hrdA, hrdC, and hrdD from Streptomyces coelicilor A3(2) having similarity to rpoD genes 334
Taylor PN → Fordham-Skelton AP 460
Tommassen J → Groot A de 278

Ueda K → Vujaklija D 119

Veen JH van der → Koornneef M 57
Vlassova IE, Graphodatsky AS, Belyaeva
ES, Zhimulev IF: Constitutive heterochromatin in early embryogenesis of
Drosophila melanogaster 316
Vliet CJ van → Pastink A 213
Voelker C → Hogg RW 453
Vogel EW → Pastink A 213
Volkert MR, Hajec LI: Molecular analysis
of the aidD6:: Mu d1 (bla lac) fusion mu-

tation of Escherichia coli K12 319

Von Carlowitz I → Hogg RW 453 Vujaklija D, Ueda K, Hong S-K, Beppu T, Horinouchi S: Identification of an A-factor-dependent promoter in the streptomycin biosynthetic gene cluster of Streptomyces griseus 119

Walbot V → Levy AA 147
Welch JW, Maloney DH, Fogel S: Gene
conversions within the Cup1' region from
heterologous crosses in Saccharomyces
cerevisiae 261
Wettstein-Knowles P von → Hansen L

467

Woodgate R, Ennis DG: Levels of chromosomally encoded Umu proteins and requirements for in vivo UmuD cleavage 10

Woodgate R, Levine AS, Koch WH, Cebu-

la TA, Eisenstadt E: Induction and cleavage of Salmonella typhimurium UmuD protein 81

Zhang L → Dunn MA 389 Zhao ZY, Sundaresan V: Binding sites for maize nuclear proteins in the terminal inverted repeats of the *Mu1* transposable element 17

Zhimulev IF → Vlassova IE 316 Zimmer W, Aparicio C, Elmerich C: Relationship between tryptophan biosynthesis and indole-3-acetic acid production in *Azospirillum*: identification and sequencing of a *trpGDC* cluster 41

Indexed in Current Contents